

Global Antibiotic Resistance Partnership



Objective

Develop actionable national strategies to address the challenge of antibiotic resistance in five low- and middle-income countries

- China
- India
- Kenya
- South Africa
- Vietnam



Specific Aims

- Develop the evidence base for policy action on antibiotic resistance
- Identify policy opportunities where research dissemination, advocacy, and information can have the greatest impact in slowing the development and spread of resistance.

Steps

- Create country profiles of baseline resistance and antibiotic use
- Assess the health and economic consequences of antibiotic resistance
- Develop mathematical models of specific approaches to delay emergence of antibiotic resistance
- Constitute GARP National Working Groups

Other objectives

- Create an IT platform for a global antibiotic resistance atlas
- International conference to compare policy approaches across the five target countries and to discuss the relevance of these approaches to other countries outside the initial partnership

Second Phase

- Dissemination of national strategies
- Policy communications
- Further research

Objectives for this meeting

- How serious a problem is antibiotic resistance in South Africa?
- What are the primary drivers of resistance?
- What policies could both help reduce the
 - Suboptimal use of antibiotics
 - Need for antibiotics
 - Emergence and spread of resistance

RAMANAN LAXMINARAYAN and ANUP MALANI
with David Howard and David L. Smith



EXTENDING THE CURE

Policy responses to the growing threat of antibiotic resistance




Global
**Antibiotic
Resistance
Partnership**

www.extendingthecure.org


RESOURCES
FOR THE FUTURE




The proportion of methicillin-resistant *Staphylococcus aureus* and vancomycin-resistant enterococcal infections is increasing (1987–2003)



The proportion of methicillin-resistant *Staphylococcus aureus* (MRSA) infections in the United States is high compared with other high-income countries (2004)



Growing resistance combined with an increasing number of Staphylococcus aureus infections has resulted in an increasing number of hospitalized patients who have MRSA infections




**Antibiotic
Resistance**
Partnership


RESOURCES
FOR THE FUTURE



The United States is among the most intensive users of antibiotics in the world



Fewer new antibiotics are being brought to market as more firms leave the anti-infectives business



New antibacterial agents approved by FDA, 1983-2005



Global
**Antibiotic
Resistance**
Partnership


RESOURCES
FOR THE FUTURE



The Bug Wars

In the battle of bad bacteria vs. antibiotics, the drugs usually lose.

Who's the Winner? *Staphylococcus aureus* gives us a stunning demonstration of evolution in action. It's a fierce bacteria—the ones that survive an antibiotic onslaught—harder their resistors to new generations and across species. Their ability to fight back usually strengthens with each mutation, allowing them to thwart even the most intelligently designed drug. Over the past 63 years, deadly bugs like *Staphylococcus aureus*, *Streptococcus pneumoniae*, and *Escherichia coli* have evolved to withstand medicines like penicillin, tetracycline, and cloxacillin. So scientists are now planning a flank attack—precisely targeted drug-delivery systems and bacteria-eating nanorobots. But if history repeats itself, the bugs will ultimately win. —Patrick Di Justo



BEHIND ENEMY LINES: A LOOK AT RESISTANCE TACTICS
Genetic mutations enable bacteria to adapt to new threats. Here are three ways they evolve to combat antimicrobial agents.

- CAMOUFLAGE**
A bacterium's protein receptors morph so the antibiotic can't lock into them. (Staph used this method to evade the penicillin family.)
- ROADBLOCKS**
The cell membrane changes to keep the antibiotic out. (Bacteria like staph and strep fended off tetracycline this way.)
- DISARMMENT**
A bacterium produces enzymes that turn off the active part of the antibiotic. (This is how *E. coli* fended off cephalosporins.)

HOW FAST BACTERIA EVOLVE TO THwart DRUGS

Staphylococcus aureus
Staphylococcus aureus is a common cause of skin infections to toxic shock syndrome. More than half of all staph infections found in intensive care units today can be linked to a drug-resistant strain.

Staph resists penicillin
The drug that started it all goes down in just five years, sending scientists back to the lab.

Staph resists methicillin
Staph quickly conquers methicillin, heralding the era of the "superbug."

Staph resists vancomycin
The drug of last resort, the one deployed when all else failed, is finally defeated.

Staph resists linezolid
The first new class of antibiotic in 25 years loses to the power within a year.

Streptococcus pneumoniae
Besides the much-feared strep throat and the much-feared flesh-eating bacteria, strains of *Streptococcus pneumoniae* cause over 125,000 cases of pneumonia a year that require hospitalization.

Strep resists penicillin
Strep resists tetracycline
Strep resists erythromycin

Strep resists chloramphenicol
Strep resists clindamycin

Strep resists chloramphenicol
Strep resists clindamycin

Strep resists erythromycin
Strep resists rifampin
Strep resists levofloxacin

Strep resists levofloxacin

Escherichia coli
Dangerous forms of *E. coli* cause all sorts of maladies, from GI distress to meningitis. In June 2005, the FDA approved tigecycline, a new type of antibiotic designed to fight resistant *E. coli*.

E. coli resists chloramphenicol
E. coli resists streptomycin
E. coli resists tetracycline
E. coli resists rifampin
E. coli resists carbapenems

E. coli resists chloramphenicol
E. coli resists streptomycin
E. coli resists tetracycline
E. coli resists rifampin
E. coli resists carbapenems

E. coli resists trimethoprim-sulfamethoxazole
E. coli resists ampicillin
E. coli resists fluoroquinolones
E. coli resists carbapenems

E. coli resists trimethoprim-sulfamethoxazole
E. coli resists ampicillin
E. coli resists fluoroquinolones
E. coli resists carbapenems

E. coli resists carbapenems

Antibiotics
More than 110 million antibiotic prescriptions are written annually in the US. The Centers for Disease Control and Prevention discourages the use of antibiotics to treat viral illnesses like the flu. The drugs are ineffective against viruses.

Streptomycin
Chloramphenicol
Tetracycline
Erythromycin
Vancomycin
Rifampin
Ampicillin
Clindamycin
Clotrimazole
Vancomycin

Streptomycin
Chloramphenicol
Tetracycline
Erythromycin
Vancomycin
Rifampin
Ampicillin
Clindamycin
Clotrimazole
Vancomycin

Trimethoprim-sulfamethoxazole
Fluoroquinolones
Cephalosporins
Carbapenems
Linezolid
Tigecycline

Fluoroquinolones
Cephalosporins
Carbapenems
Linezolid
Tigecycline

Linezolid
Tigecycline

Source: Alliance for the Prudent Use of Antibiotics; Centers for Disease Control and Prevention; Clinical Infectious Diseases; Mark Fischhoff and Bruce Levy; The New York Times; Jeffrey Palmer; The PNAS; Molecular Standard; The Antibiotic Resistance National Library of Medicine



WHITewater: ANGUISH INSIDE THE WHITE HOUSE

Newsweek

ANTIBIOTICS

THE END OF MIRACLE DRUGS?

WARNING

NO LONGER
EFFECTIVE
AGAINST
KILLER
BUGS



Global
Antibiotic
Resistance
Partnership

SOURCES
THE FUTURE





BusinessWeek

APRIL 6, 1998

A PUBLICATION OF THE MCGRAW-HILL COMPANIES

\$3.95



Global
**Antibiotic
Resistance**
Partnership



COSMOPOLITAN

November 1995

At Last!
Something
Pleasurable
That's
Good
for You.


The Health Benefits of Sex

Cosmo's
Update on
Antibiotics.
What's Okay
and What's
Dangerous

The
Heart-
Pounding
Bawdiness
of
**Brad
Pitt,**
Who
Couldn't
Care
Less

**Why
Marry
Instead of
Just
Fooling
Around?**

Makeup Tricks



Global
**Antibiotic
Resistance**
Partnership

\$2.95



0 74820 08233

URCES
FUTURE



Health Care Consequences

Higher Cost of Care

- Higher prescription cost of newer antibiotics
- Rising insurance premiums

Lower Quality of Care

- Increased risk of morbidity and mortality
- Each year 63,000 deaths attributed to drug resistance in hospital infections by CDC



Difficulty in Measuring Burden of Resistance

- Resistance-related hospitalizations are not recorded
- Correlation between disease severity and colonization with resistant pathogen
- Not all antibiotic use is bad

Why is resistance increasing?

Factors internal to the health care system

- Overuse and inappropriate use (for instance, to treat viral infections)
- Sicker patients and longer hospital stays
- Inadequate infection control in hospital settings
- Insufficient treatment compliance
- Widespread use of broad spectrum agents

Factors external to the health care system

- Use in poultry and cattle feed as growth promoters
- Spread of drug resistance from other countries

What are the incentives to protect antibiotic effectiveness?

Those who use (or manufacture) antibiotics may not have sufficient incentives to consider the impact (cost) of this usage on the rest of society

- Incentives for patients
- Incentives for physicians
- Incentives for hospitals
- Incentives for pharmaceutical companies
- Government?

Incentives for Physicians



- Satisfying patient expectations

TABLE 5

Frequency of Antibiotic Prescribing by Factors Related to Patients' Expectations of Antibiotics (N = 482)

Factor	No.* (%)	Antibiotic Prescribed No. (%)	OR (95% CI)
Patient expects antibiotic			
Yes	290 (60)	213 (73)	2.6 (1.7-3.9)
No	150 (31)	78 (52)	reference
No answer	42 (9)	28 (67)	
Clinician believes patient expects an antibiotic			
Yes	298 (62)	236 (79)	4.7 (3.2-7.1)
No	182 (38)	81 (45)	reference
No answer	2 (<1)	2 (100)	
Antibiotic helped similar illness in the past			
Yes	284 (59)	212 (75)	4.5 (2.9-6.9)
No	170 (35)	88 (52)	reference
Don't know	19 (4)	12 (63)	
No answer	9 (2)	5 (56)	

NOTE: Because some questions were unanswered, the numbers may not add up to 482.

*In outpatients with nonspecific upper respiratory infections, acute bronchitis, or acute sinusitis.

OR denotes odds ratio; CI, confidence interval.

Dosh, J
Fam Pr 1999



Incentives for Physicians



- Satisfying patient expectations
- Financial (reimbursement) incentives
 - Substitute for repeat visit
- Malpractice liability

Help protect our antibiotic lifeline.


Antibiotics fight bacteria, not viruses. Taking antibiotics for viral infections, like colds and flu, makes bacteria resistant to the medicine. Treat colds and flu with rest, liquids, and over-the-counter medicines. Get immunized and wash your hands often, especially after coughing and sneezing. Help stop antibiotic resistance. Together we can protect our antibiotic lifeline.

MARR

Michigan Antibiotic Resistance-Reducer Coalition

Protecting our antibiotic lifeline.

www.mi-marr.org



Global
**Antibiotic
Resistance**
Partnership

RESOURCES
FOR THE FUTURE





Campaign to Prevent Antimicrobial Resistance

Centers for Disease Control and Prevention
National Center for Infectious Diseases
Division of Healthcare Quality Promotion

Clinicians hold the solution!

- [Link to: Campaign to Prevent Antimicrobial Resistance Online](#)
- [Link to: Federal Action Plan to Combat Antimicrobial Resistance](#)



Antibiotic resistance: What's that?

Bacteria often cause infections such as urinary tract or respiratory tract infections, e.g. pneumonia.



However, bacteria know how to resist antibiotics. Especially when the dose of the antibiotic is too small or treatment is discontinued too soon, the bacteria have the chance to survive. The survivors use this immediately by developing different defence mechanisms against future antibiotic attacks.

Fortunately, there are antibiotics which are usually able to fight these bacteria reliably.



Bacteria are tiny, but firmly set on survival. They can develop four different ways to protect themselves against the deadly effect of antibiotics:

1. They change their vulnerable target, so that antibiotics are unable to find points of attack.



2. They produce enzymes which make certain antibiotics ineffective.




3. They change their outer shell, so that antibiotics cannot penetrate any longer.



4. They simply pump already penetrated antibiotics out again.



If bacteria can repel the attack of an antibiotic by these mechanisms, then they have become resistant to this antibiotic. Unfortunately, resistant bacteria multiply just as quickly as do all other bacteria.



Resistant bacteria can be dangerous. Since certain antibiotics can no longer do them any harm, a simple infection can quickly turn into an illness that is difficult to treat. For this reason it is so important to prevent the emergence of resistance.



What can we do against resistance?

Patients can make an important contribution, by:

- not unnecessarily demanding antibiotics from their physician, e.g. to treat a common cold
- taking the antibiotic dose precisely as prescribed by the physician
- taking the prescribed dose regularly and completely - even if they quickly feel better again

Physicians can prevent the emergence of resistance, by:


- avoiding unnecessary prescription of antibiotics, e.g. for viral infections
- resisting unspecified demands by patients or parents for antibiotics
- prescribing suitable antibiotics which will work the fastest and best

Bayer AG supports physicians and patients through:

- supply of modern, efficient antibiotics
- the LIBRA initiative, which promotes the responsible use of antibiotics and which supports the fight against resistance development
- a broad information offer on this topic under www.librainitiative.com
- providing current data on resistance development - so-called Surveillance data - under www.librainitiative.com



Global
Antibiotic
Resistance
Partner



SOURCES
THE FUTURE



Hospital Incentives



- Antibiotics may be a substitute for infection control

Hospital Incentives




- Hospitals are “sources” for colonization with resistant pathogens
- Health facilities often “share” patients
- Positive external benefits of active surveillance and infection control

Who pays for hospital-acquired infections?

- Medicare/Medicaid bear greatest burden of additional cost
- 76% of 11,668 HAIs in 2004 billed to federal Medicare (\$1 billion cost)
- Rest to Medicaid (\$372 million cost)
- \$20 billion burden on Medicare nationwide

Discovery of new classes of antibiotics



Role for Government: Vaccinations



- Pneumococcal vaccinations
- Invest in R & D for a MRSA vaccine

Role for Government: Infection Control



- Require hospital reporting of infections and resistance
- Medicare reimbursement for HAIs
- Regional cooperation in infection control

Role for Government: Infection Control





- Invest in national surveillance
- Exercise regulatory oversight

Challenges in developing countries

- Rising incomes – greater access to antibiotics



Antibiotic Sales in India by Region




Global
**Antibiotic
Resistance**
Partnership

RESOURCES
FOR THE FUTURE



Antibiotic Sales in India by Type



Challenges in developing countries

- Rising incomes – greater access to antibiotics
- Yet many patients do not have access to effective antibiotics
- Counterfeit or expired antibiotics
- Second line drugs may be unaffordable to many low-income families
- Burden of infectious disease including pneumococcal disease

Objectives for this meeting

- How serious a problem is antibiotic resistance in South Africa?
- What are the primary drivers of resistance?
- What policies could both help reduce the
 - Suboptimal use of antibiotics
 - Need for antibiotics
 - Emergence and spread of resistance